

Can Peg be used as phase change materials for thermal energy applications?

The thermal properties and thermodynamic data obtained in this work would be technically necessary and important for theoretically studying and actually using PEG as phase change materials for thermal energy applications.

What is polyethylene glycol (PEG)?

Over the past years, poly (ethylene glycol) (PEG) has gained attention in the PCM field, and several new composites of PEGs have been developed for thermal energy storage purposes. PCMs are investigated at a given heating/cooling rate to evaluate their phase change temperature and enthalpy.

Is peg 6000 a potential energy storage material?

Sharma et al. (20) investigated PEG 6000 as a potential energy storage material. To simulate five consecutive years, the authors conducted 1500 thermal cycles of cooling and heating between 40 and 90 °C. The calorimetric analysis of cycled PEG 6000 showed a change in the melting temperature and enthalpy after cycling.

Does peg increase thermal conductivity?

(33) Generally, organic materials for PCM applications are known for their low thermal conductivity. Although it has not been the purpose of this study to increase the thermal conductivity, it should be noted that several studies (24,41,42) have shown that the thermal conductivity of PEG can be increased up to 0.8 W/(m·K).

Is peg/RMS SS-CPCM a good candidate for thermal energy storage applications?

The DSC results indicated that the PEG/RMS ss-CPCM was a promising candidate for building thermal energy storage applications due to its large latent heat, suitable phase change temperature, good thermal reliability, as well as the excellent chemical compatibility and thermal stability.

What is the thermal conductivity of peg in diatomite?

TG analysis showed that the impregnated PEG into the diatomite had good thermal stability. Thermal conductivity of the composite PCM was improved by adding expanded graphite in different mass fractions. Thermal energy storage performance of the composite PCM was also tested.

Employing the phase change materials (PCMs) for thermal energy storage (TES) is a promising method to harvest heat energy ... V-PCMs can reversibly store and release heat in ambient environment via the melting and crystallization of PEG crystal. Besides, the chemical crosslinking structure guarantee the anti-leakage performance and solid-solid ...

The thermal energy storage properties of the blend after thermal cycling are shown in Table. 3. The fusion enthalpy of the PEG-lignin blend is found to be 101.37 J/g after 50 cycles and 98.50 J/g after 100 cycles.

Minimal loss of enthalpy of the order of 2.3% has been observed after 100 cycles.

Faculty of Chemical and Food Technology, Ho Chi Minh City University of Technology and Education (HCMUTE), 1 Vo Van Ngan, Thu Duc, Ho Chi Minh City 700000, Vietnam ... Consequently, the enhanced mobility of ...

It can be easily seen that PEG is an excellent candidate for thermal energy storage owing to its high phase change enthalpy of 182.7 J/g. Also, it has a suitable phase transition temperature between 37.1 and 56.9 °C, which paves its way into numerous applications such as solar energy storage device and smart textile.

The study showed that 60/40% w/w PEG/cellulose, 70/30% w/w PEG/agarose, and 80/20% w/w PEG/chitosan blends showed no leakage above the melting point of PEG. According to DSC analysis the shape-stable PEG/cellulose, PEG/agarose, and PEG/chitosan composites melted at 58.51 °C, 57.73 °C, and 57.18 °C with 84.63 J/g, 110.87 J/g, and 152.16 J/g ...

The structure and thermal energy storage performance of Md/EG/PEG composite materials were investigated. After performance testing, ... and chemical structure proved that only hydrogen bonds were formed during the compounding process of the matrix and PEG, and no other chemical bonds were formed. The hydrogen bond helped stabilize PEG to ...

The energy crisis has gradually become a global challenge, especially when there is a burst in population growth [1], [2], [3]. The excessive use of fossil fuels including coal, crude oil and natural gas poses devastating environmental problems and the severe greenhouse effect, threatening the lives of human beings [4], [5], [6]. Renewable energy sources such as solar, ...

Heat energy storage systems were fabricated with the impregnation method using MgO and Mg(OH)<sub>2</sub> as supporting materials and polyethylene glycol (PEG-6000) as the functional phase. MgO and Mg(OH)<sub>2</sub> ...

Thermal and chemical reliability tests of PEG 6000 along with the techno-economic analysis have shown that this PCM has a significant potential to be used as a thermal energy ...

6000 (PEG), (O-PCM), 1500 /? 0 1500 -,?, ...

PEG was the most widely studied PCM due to its suitable phase change temperatures and high thermal storage capacity, which can be easily tuned by varying ...

Chen et al. review the recent advances in thermal energy storage by MOF-based composite phase change materials (PCMs), including pristine MOFs and MOF composites and their derivatives. They offer in-depth insights ...

PEG (poly-ethylene glycol) with an av. mol. wt. of 2000 g/mol has been investigated as a phase change material for thermal energy storage ...

Thermochemical storage materials use reversible endothermic reactions to convert thermal energy into chemical energy, which is then released in the form of thermal energy through the breaking and recombination of chemical bonds. ... The obtained SA/MXene@PEG has high energy storage density (149.9 J/g) and excellent solar-thermal conversion ...

Sensible heat, thermomechanical reaction energy, and latent heat are the three types of energy storage mechanisms for thermal applications. Currently, among these thermal energy storage mechanisms, latent heat is ...

Most studies on PEG-based PCMs mainly focus on the design and synthesis of new PCMs and improve their performance for thermal energy storage; however, their physically thermal properties with various molar masses, such as the thermal conductivity, phase transition property, heat capacity and the corresponding thermodynamic functions have seldom been ...

The chemical interactions between PEG and nano  $\text{Al}_2\text{O}_3$  particles were studied by FT-IR and the spectra obtained are represented in ... that the composites possess significant thermal properties and are a good candidate for the latent heat thermal energy storage systems having temperature requirement around 60 °C such as solar water heater ...

Phase change materials (PCMs) can be used for energy storage and temperature control [1], [2], [3]. Recently, as energy crisis is becoming more and more serious, PCMs are increasingly receiving more and more attention. ... The CDA modified with PEG by chemical grafting method is a new kind of SSPCMs. The solid-solid transition characteristics ...

Polyethylene glycol (PEG)/diatomite composite as novel form-stable phase change materials. Thermal energy storage properties, thermal stability and performance of PEG/diatomite composite. The melting point and latent heat of the (PEG)/diatomite are 27.70 °C and 87.09 J/g, respectively. The composite PCM can decrease indoor air temperature fluctuation due to heat ...

The goal of this study is to manufacture quaternary nanocomposites from a mixture of two polymers, polyvinyl alcohol (PVA) and polyethylene glycol (PEG), with two nanomaterials, cobalt trioxide ( $\text{Co}_2\text{O}_3$ ) and silicon dioxide ( $\text{SiO}_2$ ) nanoparticles, by casting and forming films with different weight ratios (2, 4, 6 and 8) w.t.%. Which consider these nanocomposites promising ...

The ability of PEG to improve AuNRs thermal response could be attributed to PEG's excellent heat storage capacity that supports a higher temperature gradient compared to other surfactants [48 ...

The  $\text{SiO}_2$ /MEGR was then used as a binary porous support for the adsorption and stabilization of polyethylene

glycol (PEG), forming composite phase change materials ...

EVM is considered as one of the most suitable supporting materials of ss-CPCM for thermal energy storage due to its high heat storage capacities, chemical inertness, ecological friendliness, and low cost. In our study, it is expected that the EVM has large encapsulation capacity of PEG.

The indicator to evaluate the thermal energy storage capability for PCMs, always regarded as the most reliable one, is the enthalpy of phase change. Analysis of the energy storage characteristics of PEG/TiO<sub>2</sub> was conducted through DSC testing. Fig. 7 reveals the DSC curves and relevant thermal data of the PEG2000 and PEG/TiO<sub>2</sub>.

Polyethylene glycol (PEG)/diatomite composite as novel form-stable phase change materials. Thermal energy storage properties, thermal stability and performance of ...

A series of polystyrene-graft-PEG 6000 copolymers as new kinds of polymeric solid-solid phase change materials (SSPCMs) were synthesized. The synthesized SSPCMs were characterized by FT-IR and <sup>1</sup>H NMR and POM techniques. Thermal energy storage properties, thermal reliability and thermal stability of the synthesized SSPCMs were investigated by ...

Shape-stable solid-solid phase-change material (PCM) has attracted much attention due to its excellent thermal properties and shape stability. In this study, cellulose nanocrystal (CNC) was introduced as a high thermal-conductivity ...

We indeed show that the tunable heat transfer and thermal energy storage efficacy of phase change fiber is achieved via controlled liquid PEG delivery and the addition of rGO in shell architecture. Notably, the ...

Most studies on PEG-based PCMs mainly focus on the design and synthesis of new PCMs and improve their performance for thermal energy storage; however, their physically ...

The obtained PEG/SAM maintained excellent light-to-heat conversion and storage efficiency (i) and good chemical stability and thermal durability after a series of melting and cooling cycles and light-induced phase transition cycling, indicating the PEG/SAM has good potential for light-to-heat conversion and energy storage applications.

They found that PEG/chitosan blend systems exhibited the highest latent heat and the best efficiency for thermal energy storage. With the rising awareness of sustainable energy and environmental protection issues, it is expected that the emerging green polymers will exhibit great potential as novel PCM materials for thermal energy storage.

In this study, a shape-stabilized composite PCM based on a three-dimensional (3D) porous (3,6)-connected metal-organic framework (MOF) and polyethylene glycol (PEG) was designed. The (3,6)-connected Zn<sup>2+</sup>

MOF gel was used as a porous supporting material, whereas PEG was employed as an energy-storage material. The PCM, which was ...

Web: <https://fitness-barbara.wroclaw.pl>

